

Batch Recall

Marbox 100mg/ml solution for injection for cattle and pigs

VPA10815/014/001

Batch no.	Exp. date
251AA	17/02/24

1st December 2021

Dear Veterinary Surgeon / Pharmacist,

We wish to advise you that batch no. 251AA of Marbox 100mg/ml solution for injection for cattle and pigs, VPA10815/014/001, is being recalled with immediate effect.

The recall is going to **veterinary clinic / pharmacy level**. This action has been agreed with the Health Products Regulatory Authority (HPRA).

The reason for recall is that silicone particles were detected during visual inspection of the product and the above batch is within scope of this issue.


We kindly request that you perform the following actions:

1. Please immediately quarantine any units of this batch that you have in your possession.
2. If you have supplied units from this batch to any other veterinary practice or pharmacy, please forward a copy of this recall letter requesting that they quarantine and return any unsold quantities of the batch to you.
3. Please contact Interchem (Ireland) Ltd. on 01 4518959 to arrange the return of the quarantined units. Full credit will be issued for units returned up to 15th December 2021.

Should adverse reactions or lack of efficacy be suspected following use of this batch please contact Paul Kennedy, Ruminant National Business Manager, at telephone no. 01 4518959. Please also report adverse reactions to the HPRA in the usual manner.

Unaffected stock is expected to be available in mid December. We apologise for any inconvenience this issue may cause.

Yours sincerely,

A square box containing a handwritten signature in black ink, which appears to be 'A. Forsyth'.

Dr Andrew Forsyth BVMS GPCert(ExAP) MRCVS
Head of Regulatory Affairs UK and IE

Ceva Animal Health - United Kingdom & Ireland
Tel: +44 (0) 1494 781 510