



Proof: 1	Artwork Information Panel		almirall
Description: PIL Meptid 200Mg tab GB_IE Mock up	Printing Colours	Non Printing Colours	Inline control code
Regulatory text: uk-pl-meptidtabs-Nov2018-tracked (1/2)	P Black	Die cut	
Item Number: Mock up			
Designer: Thinkinpress:	Date: 21.06.2019	Colour reference in PMS Bridge Equate with CMYK	
Fonts: Graphik Regular, Graphik semibold	Font Size: 8pt		
Manufacturer's Technical check: Manufacturer confirms the printability and technical compliance of this packaging material for correct use during packaging process.	Date and Signature		

Reverso

Use in children
Meptid Tablets are **not** recommended for use in children.

If you take more Meptid Tablets than you should
If you think you have taken too many tablets **contact your doctor or the local hospital casualty department at once**. Take any remaining tablets and the packaging with you.

If you forget to take Meptid Tablets
If you forget to take a dose at the right time, take it as soon as you remember, unless it is almost time for your next dose.
If you miss a dose completely, do not take a double dose to make up for the forgotten one. Instead, skip the missed one and take the next dose as usual.

4. Possible side effects
Like all medicines, this medicine can cause side effects, although not everybody gets them.

If you experience any of the following, stop taking Meptid Tablets and contact your doctor or go to the casualty department of your nearest hospital immediately:

- Severe Allergic reactions. Signs of an allergic reaction include itching, rash, difficulty breathing, swelling of the face, lips, tongue or throat.

At the correct dose Meptid Tablets should not generally cause any problems. Talk to your doctor if you get any of the following side effects:

Very common side effects (may affect more than 1 in 10 people):

- feeling or being sick
- constipation or diarrhoea
- stomach pains, indigestion
- dizziness and vertigo
- drowsiness and sleepiness
- sweating
- headache
- rash.

Uncommon side effects (may affect up to 1 in 100 people):

- low blood pressure
- breathing problems.

Very rare side effects (may affect up to 1 in 10,000 people):

- confusion
- hallucination
- depression

Other side effects that have not been mentioned above, but are associated with medicines that act in the same way as Meptid Tablets include:

- difficulty in passing urine
- dry mouth
- red face
- unusually fast or slow heart beat, palpitations
- feeling unusually cold
- mood changes
- reduction in pupil size
- depression or anxiety (dysphoria)
- abdominal pain as a result of spasms of the bile duct or ureter
- decreased sexual desire, erectile dysfunction
- hives, rash, itching.

Reporting of side effects
If you get any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet. You can also report side effects directly (see details below). By reporting side effects you can help provide more information on the safety of this medicine.

United Kingdom
Yellow Card Scheme, Website: www.mhra.gov.uk/yellowcard or search for MHRA Yellow Card in the Google Play or Apple App Store.

Ireland
HPRA Pharmacovigilance, Earlsfort Terrace, IRL - Dublin 2, Tel: +353 1 6764971, Fax: +353 1 6762517, Website: www.hpra.ie, e-mail: medsafety@hpra.ie

5. How to store Meptid Tablets
Keep out of the sight and reach of children.
Do not use this medicine after the expiry date which is stated on the blister and carton after EXP. The expiry date refers to the last day of the month.
Store below 25°C.
Do not throw away any medicines via wastewater or household waste. Ask your pharmacist how to throw away medicines you no longer use. These measures will help protect the environment.

6. Contents of pack and other information
What Meptid Tablets contain

- The active substance is meptazinol. Each tablet contains 200 mg of meptazinol (as hydrochloride).
- The other ingredients are magnesium stearate, microcrystalline cellulose and polacrilin potassium in the tablet core. The film coating contains hypromellose, macrogol 400 and the colours erythrosine (E 127), titanium dioxide (E 171) and sunset yellow (E 110) (see end of Section 2).

What Meptid Tablets look like and contents of the pack
Meptid Tablets are film-coated tablets and orange and oval shaped. The film-coated tablets are engraved with 'MPL 023' on one side and are available in blister packs of 6, 28, 56, 100 or 112 tablets. Not all pack sizes may be marketed.

Marketing Authorisation Holder and Manufacturer
Marketing Authorisation Holder:
Almirall S.A., Ronda General Mitre 151, 08022 Barcelona, Spain
Manufacturer:
Kern Pharma SL, Polígono Ind. Colón II, Venus 72, E-08228, Terrassa, Spain.

This leaflet was last revised in June 2019

0.00000000

Código Laetus

Sentido de lectura del laetus

Código Laetus

Sentido de lectura del laetus



Proof: 1	Artwork Information Panel		almirall
Description: PIL Meptid 200Mg tab GB_IE Mock up	Printing Colours	Non Printing Colours	Inline control code
Regulatory text: uk-pl-meptidtabs-Nov2018-tracked (2/2)	P Black	Die cut	
Item Number: Mock up			
Designer: Thinkinpress:	Date: 21.06.2019	Colour reference in PMS Bridge Equate with CMYK	
Fonts: Graphik Regular, Graphik semibold	Font Size: 8pt		
Manufacturer's Technical check: Manufacturer confirms the printability and technical compliance of this packaging material for correct use during packaging process.	<input type="checkbox"/>	Date and Signature	