

VPA10664/005/001

**Domitor 1 mg/ml solution for injection**

<b>Variation</b>	<b>Summary</b>	<b>Date</b>
Vet - F.I.b.1 z)	VRA-R - Vet - F.I.b.1 z) - z) Other changes under this code level e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021 - F.I.b.1 z) Quality Changes - Active Substance - Control of active substance -Change in the specification parameters and/or limits of an active substance, starting material/intermediate/reagent used in the manufacturing process of the active substance - Other changes under this code level, e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021	07/06/23
Vet - B3 d)	VNRA - Vet - B3 d) - d) Deletion of a non-significant specification parameter (active substance, starting material, intermediate - B3 d) Changes to the quality part of the dossier: Deletion of a non-significant specification parameter (e.g. deletion of an obsolete parameter) of — an active substance; — a starting material; —an intermediate or reagent used in the manufacturing process of the active substance	07/06/23
Vet - B12 a)	VNRA - Vet - B12 a) - a) Minor changes to an approved test procedure (active, finished product, packaging, measuring device) - B12 a) Changes to the quality part of the dossier: Minor changes — to an approved test procedure — for active substance; — for the finished product; —for the immediate packaging of the active substance or the finished product; — of a measuring or administration device	07/06/23