

VPA10462/001/001

**Triazole Fluke and Worm Drench**

<b>Variation</b>	<b>Summary</b>	<b>Date</b>
Vet - B44	VNRA - Vet - B44 - Submission of a new or updated Ph. Eur. CEP from an already approved manufacturer for a non-sterile active substance, starting material, reagent or intermediate, excipient - B44 Changes to the quality part of the dossier: Submission of a new or updated Ph. Eur. CEP from an already approved manufacturer for a non-sterile: — active substance; — starting material, reagent or intermediate used in the manufacturing process of the active substance; — excipient	03/05/23
Vet - F.II.e.1 z	VRA-R - Vet - F.II.e.1 z - z) Other changes under this code level e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021 - F.II.e.1 z) Quality Changes - Container closure system - Change in immediate packaging of the finished product - Other changes under this code level, e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021	20/12/22
Vet - B45	VNRA - Vet - B45 - Submission of a new Ph. Eur. CEP from a new manufacturer (replacement or addition) for a non-sterile active substance, starting material, reagent or intermediate, excipient - B45 Changes to the quality part of the dossier: Submission of a new Ph. Eur. CEP from a new manufacturer (replacement or addition) for a non-sterile: — active substance; — starting material, reagent or intermediate used in the manufacturing process of the active substance; — excipient	15/03/22