HyQvia

Human Normal Immunoglobulin (10%) Recombinant Human Hyaluronidase

My log book


FOR INFUSIONS FROM

_____ **TO** _____ (date)

HyQvia is prescribed as replacement therapy to patients who do not have sufficient antibodies, including the following groups:

- Patients with an inborn inability or reduced ability to produce antibodies (primary immunodeficiencies)
- Patients with a certain kind of blood cancer (chronic lymphocytic leukaemia) which leads to a lack of antibody
 production and recurrent infections when preventative antibiotics have failed or cannot be prescribed
- Patients with a specific cancer of the bone marrow (multiple myeloma) and lack of antibody production with recurrent infections
- Patients with low antibody production prior and after transplantation of bone marrow cells from another person





Log your infusions to keep your treatment on track

You have received this log book because your healthcare professional has prescribed **HyQvia** treatment for you or your child.

Recording your **HyQvia** infusion details in this log book is an important part of your subcutaneous immunoglobulin (SCIG) treatment plan. It will help you keep to your infusion schedule and it promotes better communication with your healthcare team.

This log book gives you a convenient way to record the details of your infusions as well as any improvements, reactions, side effects, or changes in your health.

To facilitate your infusion recording, some infusion log sheets are included. These sheets should give you enough space to record your infusions for at least a year. Make sure to flag any infusions that you would want to discuss with your healthcare professional or nurse. Bringing this log book with you to appointments with your healthcare professional will help in understanding and discussing the results of your treatment.

Accuracy and completeness are key. Make a habit of logging each infusion as soon as you have completed it. If you experience any effects from treatment later on, go back and add that information to the entry for the infusion. Report any changes or trends that you notice. You can also include any questions or concerns you want to talk about with your healthcare team.

2

Your treatment record sheet

When you first start **HyQvia** treatment, your healthcare professional will determine the proper dosage amount and how often you should infuse. Include this information in the chart opposite to keep track of the dose, rate of infusion and other details.

After you have filled out the infusion dose and rate for the ongoing monthly* infusion in the chart opposite, use this treatment record sheet only if there are any changes in your treatment regimen. As you gain or lose weight or have a change in your general health, your healthcare professional may adjust your dose.

Be sure to take this log book with you to all appointments so you and your healthcare professional can record any changes to your infusion plan.

Pump manufacturer	
Pump type	
Needle manufacturer	
Needle length [†]	

*Monthly treatment may be scheduled every 3 or 4 weeks as determined by your healthcare professional.1 †24 gauge needle.1 The name of my medication is **HyQvia**. My doses and pump infusion rates are:

				Rate of IG infused per site [‡]				
	Date	Rate of HY	Dose of IG	1 st min interval	2 nd min interval	3 rd min interval	4 th min interval	Remainder of infusion
Example	1/12/2014	1-2 mL/min	X mL	X mL/hr 10 min	X mL/hr 90 min	× mL/hr 10 min	X mL/hr 10 min	X mL/hr 90 min
1 st infusion								
2 nd infusion								
3 rd infusion								
4 th infusion								
Ongoing monthly* infusion								

Typically, the dose will remain the same once you are on your ongoing monthly* infusion; should your healthcare professional make adjustments to your treatment regimen for any reason, please record such changes in the rows below.

Adjusted monthly* infusion				
Adjusted monthly* infusion				

‡Rate changes to be made at intervals of at least 10 minutes. For people with body weight of less than 40 kg, the maximum infusion rate is 80 ml/hour/site for the initial 2 infusions, and 160 ml/hour/site for the subsequent 2-3 infusions. For people with body weight of 40 kg or more, the maximum infusion rate is 240 ml/hour/site for the initial 2 infusions and 300 ml/hour/site for the subsequent 2-3 infusions. If well tolerated, an increase in the rate of successive infusions may be considered following discussion with your healthcare professional

HY = recombinant human hyaluronidase

IG = human normal immunoglobulin (IG 10%)

4

Your supplies

Below are the supplies you will need for your **HyQvia** infusion. The supplies you receive from your pharmacy may look slightly different.



HyQvia vial(s)



Alcohol swabs, tape and clean, sterile bandage. Optional: wear gloves if instructed by your healthcare professional




Non-vented device or needle – one per HY vial



Subcutaneous needle set with a sterile dressing – one per infusion site



Sharps container



Optional: sterile tip caps (one per syringe)



Log book

If you are using a syringe driver pump:




20 mL syringe(s)




If you are infusing directly from vials

with a peristaltic infusion pump:



Vented spike(s)



Vented pump tubing



50 or 60 mL syringe(s)



Peristaltic infusion pump, power supply and manual



Syringe driver pump, power supply and manual



Optional: saline infusion bag (if required by your healthcare professional)

Helpful reminders

Before the infusion

- Always follow the directions provided to you by your healthcare professional regarding the dose, schedule, and how to infuse HyQvia treatment
- Ensure you're hydrated by drinking plenty of fluids before you infuse
- Choose a quiet day and plan ahead to avoid disruptions while infusing
- Ask another responsible person, your parent or guardian/caregiver to help you with your infusion (if necessary) and look out for any side effects
- Set up your supplies and read the instructions provided to you
- Use this log book to keep track of information about date, time, dose, infusion site location, and any reactions
- Do not infuse HyQvia into or around an infected, red, or swollen area

During the infusion

- · Get comfortable and try to relax during your infusion
- Infusion site reactions such as infusion site pain, including mild to moderate discomfort and tenderness, redness, swelling, itching, hardening, and rash are most common side effects with HyQvia treatment
- Other common side effects not limited to infusion site reactions include headache, tiredness, nausea, vomiting, diarrhoea, abdominal pain, muscle or joint pain, chest pain, fever, and feeling weak or unwell.
 Other uncommon side effects may also occur. Please read your HyQvia package leaflet for more information
- Infusions of medicines like HyQvia can occasionally result in serious, but rare, allergic reactions. You may experience a sudden fall in blood pressure and, in isolated cases, anaphylactic shock. Healthcare professionals are aware of these possible side effects and will monitor you during and after the initial infusions.
- Typical signs or symptoms include: feeling light-headed, dizzy or faint, skin rash and itchiness, swelling in the mouth or throat, difficulty breathing, wheezing, abnormal heart rate, chest pain, blueness of lips or fingers and toes and blurred vision.
- If you experience any side effects, talk to your healthcare professional.
 This includes any possible side effects not listed in the HyQvia package leaflet
- · Continue drinking fluids to remain hydrated
- · Record your infusion in your log book
- Make sure to follow up with your healthcare professional routinely

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
		Medication(s) taken prior to infusion:
Start time:		
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If yo	es, please discuss with your	
healthcare professional		
Mark an X to show the site(s) of this infusion		
Walk all A to show the site(s) of this initiation		

Remove the peel-off labels from the **HyQvia** vial(s), which have the product lot number and expiry date, and affix them here (or write the lot number and expiry date shown on the label in the spaces provided).

Rotate your site(s) by choosing opposite sides of the body for each infusion.

	AFFIX LABEL HERE
rite in the H	yQvia lot number and expiry date:
t number:	
xpiry date:	

Α	FFIX LABEL HERE
Or write in the Hy	Qvia lot number and expiry date
IG lot number: _	
IG expiry date:	

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
Start time:		Medication(s) taken prior to infusion:
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If yes, please discus healthcare professional	ss with your	
Treatment professional		
Mark an X to show the site(s) of this infusion		
Rotate your site(s) by choosing opposite sides of the body for each infusion.		

Remove the peel-off labels from the **HyQvia** vial(s), which have the product lot number and expiry date, and affix them here (or write the lot number and expiry date shown on the label in the spaces provided).

AFFIX LABEL HERE Or write in the **HyQvia** lot number and expiry date:

IG expiry date:

	AFFIX LABEL HERE
Or write in the H	yQvia lot number and expiry date:
IG lot number:	
IG expiry date:	

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
Start time:		Medication(s) taken prior to infusion:
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If yes, please discuss healthcare professional	ss with your	
Treatment professional		
Mark an X to show the site(s) of this infusion		
Rotate your site(s) by choosing opposite sides of the body for each infusion.		

	AFFIX LABEL HERE
Or write in the H	yQvia lot number and expiry date:
IG lot number:	
IG expiry date:	

,	AFFIX LABEL HERE
Or write in the H y	yQvia lot number and expiry date:
IG lot number:	
IG expiry date:	

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
01-11		Medication(s) taken prior to infusion:
Start time:		
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If yes, ple	ease discuss with your	
healthcare professional		
Mark an X to show the site(s) of this infusion		
Rotate your site(s) by choosing opposite sides of the body for eac	h infusion.	

	AFFIX LABEL HERE
Or write in the H	yQvia lot number and expiry date
IG lot number:	
IG expiry date:	

1	AFFIX LABEL HERE
Or write in the H y	yQvia lot number and expiry date:
IG lot number:	
IG expiry date:	

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
Start time:		Medication(s) taken prior to infusion:
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If yes, please discus healthcare professional	s with your	
Mark an X to show the site(s) of this infusion		
Rotate your site(s) by choosing opposite sides of the body for each infusion.		

	AFFIX LABEL HERE
rite in the H	lyQvia lot number and expiry date:
t number:	
xpiry date:	

4	AFFIX LABEL HERE
Or write in the Hy	vQvia lot number and expiry date:
IG lot number:	
IG expiry date:	

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
		Medication(s) taken prior to infusion:
Start time:		
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If ye	es, please discuss with your	
healthcare professional		
Mark an X to show the site(s) of this infusion		
Walk all A to show the site(s) of this initiation		

Remove the peel-off labels from the **HyQvia** vial(s), which have the product lot number and expiry date, and affix them here (or write the lot number and expiry date shown on the label in the spaces provided).

Rotate your site(s) by choosing opposite sides of the body for each infusion.

AF	FIX LABEL HERE
n the HyQ	via lot number and expiry date:
mber:	
date:	

	AFFIX LABEL HERE
Or write in the H	yQvia lot number and expiry date:
IG lot number:	
IG expiry date:	


IG expire

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
		Medication(s) taken prior to infusion:
Start time:		
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If yes, p	lease discuss with your	
healthcare professional		
Manufactor V to the country of the confidence		
Mark an X to show the site(s) of this infusion		

Rotate your site(s) by choosing opposite sides of the body for each infusion.



Remove the peel-off labels from the **HyQvia** vial(s), which have the product lot number and expiry date, and affix them here (or write the lot number and expiry date shown on the label in the spaces provided).

	AFFIX LABEL HERE
Or write in the H	lyQvia lot number and expiry date
IG lot number:	
IG expiry date:	

AFFIX LABEL HERE Or write in the **HyQvia** lot number and expiry date: IG expiry date:

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
our weight:	kg	
	_	Medication(s) taken prior to infusion:
Start time:		
Pose of HyQvia treatment:	grams	How you felt after your infusion:
G infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Ouration of HyQvia infusion:		
Did you have any concerns during your infusion? If yes, please discus	s with your	
ealthcare professional		
Mark an X to show the site(s) of this infusion		
tall all the eller are eller, or all all all all all all all all all al		

Remove the peel-off labels from the **HyQvia** vial(s), which have the product lot number and expiry date, and affix them here (or write the lot number and expiry date shown on the label in the spaces provided).

111

Rotate your site(s) by choosing opposite sides of the body for each infusion.

AFFIX LABEL HERE Or write in the **HyQvia** lot number and expiry date: IG expiry date:

Į.	AFFIX LABEL HERE
Or write in the H y	Qvia lot number and expiry date:
IG lot number:	
IG expiry date:	

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
		Medication(s) taken prior to infusion:
Start time:		
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If yes, please	e discuss with your	
healthcare professional		
Mark an X to show the site(s) of this infusion		
Mark and to show the site(s) of this illusion		

Remove the peel-off labels from the **HyQvia** vial(s), which have the product lot number and expiry date, and affix them here (or write the lot number and expiry date shown on the

Rotate your site(s) by choosing opposite sides of the body for each infusion.

AFFIX LABEL HERE				
Or write in the HyQvia lot number and expiry date:				
IG lot number:				
IG expiry date:				

label in the spaces provided).

-	AFFIX LABEL HERE
Or write in the H	yQvia lot number and expiry date:
IG lot number:	
IG expiry date:	

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
Start time:		Medication(s) taken prior to infusion:
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If yes, please discuss healthcare professional	ss with your	
Treatment professional		
Mark an X to show the site(s) of this infusion		
Rotate your site(s) by choosing opposite sides of the body for each infusion.		

Remove the peel-off labels from the **HyQvia** vial(s), which have the product lot number and expiry date, and affix them here (or write the lot number and expiry date shown on the label in the spaces provided).

	 (1")

AFFIX LABEL HERE	
Or write in the HyQvia lot number and expiry	date:
IG lot number:	
IG expiry date:	

	AFFIX LABEL HERE
Or write in the H	yQvia lot number and expiry date:
IG lot number:	
IG expiry date:	

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
		Medication(s) taken prior to infusion:
Start time:		
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If ye	es, please discuss with your	
healthcare professional		
Mark an X to show the site(s) of this infusion		
Walk all A to show the site(s) of this initiation		

Remove the peel-off labels from the **HyQvia** vial(s), which have the product lot number and expiry date, and affix them here (or write the lot number and expiry date shown on the label in the spaces provided).

Rotate your site(s) by choosing opposite sides of the body for each infusion.

AFFIX LAE	BEL HERE
te in the HyQvia lot r	number and expiry date:
number:	
oiry date:	


	AFFIX LABEL HERE
Or write in the H	yQvia lot number and expiry date
IG lot number:	
IG expiry date:	

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
Start time:		Medication(s) taken prior to infusion:
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
Stop time:		Questions to discuss with your healthcare professional:
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If yes, please dishealthcare professional	cuss with your	
Mark an X to show the site(s) of this infusion		

Rotate your site(s) by choosing opposite sides of the body for each infusion.



	AFFIX LABEL HERE
Or write in the H	lyQvia lot number and expiry date
IG lot number:	
IG expiry date:	

,	AFFIX LABEL HERE
Or write in the H y	Qvia lot number and expiry date:
IG lot number:	
IG expiry date:	

Tick to discuss with your healthcare professional




Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
Start time:		Medication(s) taken prior to infusion:
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If yes, please discuss healthcare professional	ss with your	
Mark an X to show the site(s) of this infusion		
Rotate your site(s) by choosing opposite sides of the body for each infusion.		

	11

А	FFIX LABEL HERE
Or write in the Hy	Qvia lot number and expiry date:
IG lot number: _	
IG expiry date:	

,	AFFIX LABEL HERE
Or write in the H y	Qvia lot number and expiry date:
IG lot number:	
IG expiry date:	

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
		Medication(s) taken prior to infusion:
Start time:		
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If yes, please discubelathcare professional	iss with your	
Mark an X to show the site(s) of this infusion		

Remove the peel-off labels from the **HyQvia** vial(s), which have the product lot number and expiry date, and affix them here (or write the lot number and expiry date shown on the label in the spaces provided).

Rotate your site(s) by choosing opposite sides of the body for each infusion.

AFFIX LABEL HERE	
Or write in the HyQvia lot number and expiry date	
IG lot number:	
IG expiry date:	

4	AFFIX LABEL HERE
Or write in the Hy	vQvia lot number and expiry date:
IG lot number:	
IG expiry date:	

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
Start time:		Medication(s) taken prior to infusion:
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
Stop time:		Questions to discuss with your healthcare professional:
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If yes, please disc healthcare professional	cuss with your	
Mark an X to show the site(s) of this infusion Rotate your site(s) by choosing opposite sides of the body for each infusion	n.	

Remove the peel-off labels from the **HyQvia** vial(s), which have the product lot number and expiry date, and affix them here (or write the lot number and expiry date shown on the label in the spaces provided).

AFFIX LABEL HERE

Or write in the **HyQvia** lot number and expiry date:

IG expiry date:

AFFIX LABEL HERE

Or write in the **HyQvia** lot number and expiry date:

IG expiry date:

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
Start time:		Medication(s) taken prior to infusion:
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If yes, please discus healthcare professional	ss with your	
Treatment professional		
Mark an X to show the site(s) of this infusion		
Rotate your site(s) by choosing opposite sides of the body for each infusion.		

Remove the peel-off labels from the **HyQvia** vial(s), which have the product lot number and expiry date, and affix them here (or write the lot number and expiry date shown on the label in the spaces provided).

Or write in the

IG expiry date:

	AFFIX LABEL NEKE	
н	yQvia lot number and expiry date:	

· ·	AFFIX LABEL HERE
Or write in the Hy	vQvia lot number and expiry date:
IG lot number:	
IG expiry date:	

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
		Medication(s) taken prior to infusion:
Start time:		
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If ye	es, please discuss with your	
healthcare professional		
Mark an X to show the site(s) of this infusion		
Walk all A to show the site(s) of this initiation		

Remove the peel-off labels from the **HyQvia** vial(s), which have the product lot number and expiry date, and affix them here (or write the lot number and expiry date shown on the label in the spaces provided).

Rotate your site(s) by choosing opposite sides of the body for each infusion.

AFFIX LABEL HERE Or write in the **HyQvia** lot number and expiry date: IG expiry date:

	AFFIX LABEL HERE
Or write in the H	yQvia lot number and expiry date:
IG lot number:	
IG expiry date:	

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
		Medication(s) taken prior to infusion:
Start time:		
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If ye	es, please discuss with your	
healthcare professional		
Mark an X to show the site(s) of this infusion		
Walk all A to show the site(s) of this initiation		

Remove the peel-off labels from the **HyQvia** vial(s), which have the product lot number and expiry date, and affix them here (or write the lot number and expiry date shown on the label in the spaces provided).

Rotate your site(s) by choosing opposite sides of the body for each infusion.

AFFIX LABEL HERE Or write in the **HyQvia** lot number and expiry date: IG lot number:

IG expiry date:

	AFFIX LABEL HERE
Or write in the H	yQvia lot number and expiry date:
IG lot number:	
IG expiry date:	

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
		Medication(s) taken prior to infusion:
Start time:		
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If yes, please	discuss with your	
healthcare professional		
Mark an X to show the site(s) of this infusion		
Mark an A to show the site(s) of this initiation		

Remove the peel-off labels from the **HyQvia** vial(s), which have the product lot number and expiry date, and affix them here (or write the lot number and expiry date shown on the

Rotate your site(s) by choosing opposite sides of the body for each infusion.

	AFFIX LABEL HERE
in the H	yQvia lot number and expiry date:
ımber:	
y date:	

label in the spaces provided).

	AFFIX LABEL HERE
Or write in the H	yQvia lot number and expiry date:
IG lot number:	
IG expiry date:	

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
Your weight:	kg	
Start time:		Medication(s) taken prior to infusion:
Dose of HyQvia treatment:	grams	How you felt after your infusion:
IG infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Duration of HyQvia infusion:		
Did you have any concerns during your infusion? If yes, please discus healthcare professional	ss with your	
Treatment professional		
Mark an X to show the site(s) of this infusion		
Rotate your site(s) by choosing opposite sides of the body for each infusion.		

Remove the peel-off labels from the **HyQvia** vial(s), which have the product lot number and expiry date, and affix them here (or write the lot number and expiry date shown on the label in the spaces provided).

AFFIX LABEL HERE Or write in the **HyQvia** lot number and expiry date: IG lot number: IG expiry date:

	AFFIX LABEL HERE
Or write in the H	yQvia lot number and expiry date:
IG lot number:	
IG expiry date:	

Tick to discuss with your healthcare professional



Date of infusion:		Record any changes in the supplies or method you used for this infusion:
our weight:	kg	
		Medication(s) taken prior to infusion:
Start time:		
Pose of HyQvia treatment:	grams	How you felt after your infusion:
G infusion rate:	mL/hr	
		Questions to discuss with your healthcare professional:
Stop time:		
Ouration of HyQvia infusion:		
Did you have any concerns during your infusion? If yes, please discus	ss with your	
ealthcare professional		
Mark an X to show the site(s) of this infusion		
tall all A to ollow the ollow, of this illidololi		

Remove the peel-off labels from the **HyQvia** vial(s), which have the product lot number and expiry date, and affix them here (or write the lot number and expiry date shown on the

Rotate your site(s) by choosing opposite sides of the body for each infusion.

	AFFIX LABEL HERE
r write in the H	yQvia lot number and expiry date:
lot number:	
expiry date:	

label in the spaces provided).

	AFFIX LABEL HERE
Or write in the H	yQvia lot number and expiry date:
IG lot number:	
IG expiry date:	



IMPORTANT MEDICAL RECORD
This log book contains important medical information. If found, please return to:

Further information is available from the Takeda Medical Information Department, email: medinfoemea@takeda.cor Suspected adverse events should be reported to Takeda at: AE.GBR-IRL@takeda.com

Reference:

HyQvia Summary of Product Characteristics.

Copyright © 2019 Takeda Pharmaceutical Company Limited. All rights reserved. Takeda and the Takeda Logo are trademarks of Takeda Pharmaceutical Company Limited used under license.



