

VPA10983/048/003

Clavaseptin 500 mg palatable tablets for dogs

Variation	Summary	Date
Vet - B12 a)	VNRA - Vet - B12 a) - a) Minor changes to an approved test procedure (active, finished product, packaging, measuring device) - B12 a) Changes to the quality part of the dossier: Minor changes — to an approved test procedure — for active substance; — for the finished product; —for the immediate packaging of the active substance or the finished product; — of a measuring or administration device	22/06/23
Vet - C1	VNRA - Vet - C1 - Change(s) in the name or address or contact details of a qualified person for pharmacovigilance (QPPV) - C1 Changes to the safety, efficacy and pharmacovigilance part of the dossier: Change(s) in the name or address or contact details of a qualified person for pharmacovigilance (QPPV)	20/06/23
Vet - C6	VNRA - Vet - C6 - Introduction of a summary of the PSMF or changes to the summary of the PSMF not already covered elsewhere in the Annex to Regulation (EU) 2021/17 - C6 Changes to the safety, efficacy and pharmacovigilance part of the dossier: Introduction of a summary of the PSMF or changes to the summary of the PSMF not already covered elsewhere in the Annex to Regulation (EU) 2021/17	20/06/23
B.III.1.a.2	IA - B.III.1.a.2 - 2. Updated certificate from an already approved manufacturer - B.III.1.a.2 - QUALITY CHANGES - CEP/TSE/MONOGRAPHS - Submission of a new or updated Ph. Eur. Certificate of suitability or deletion of Ph. Eur. certificate of suitability: For an active substance For a starting material/reagent/intermediate used in the manufacturing process of the active substance For an excipient - European Pharmacopoeial Certificate of Suitability to the relevant Ph. Eur. Monograph - Updated certificate from an already approved manufacturer	03/03/22
B.II.d.2.a	IA - B.II.d.2.a - a) Minor changes to an approved test procedure - B.II.d.2.a - QUALITY CHANGES - FINISHED PRODUCT - Control of finished product - Change in test procedure for the finished product - Minor changes to an approved test procedure	02/03/22