CHECKLIST FOR NPLATE® SELF-ADMINISTRATION

Confirm that your patient is...

An adult patient	✓
Interested in and suitable for home administration	✓
On a stable dose of Nplate® • For the purposes of self-administration, a stable dose of Nplate® means the patient's Nplate® dose has not required adjustment for at least 4 weeks. Patients who need dose adjustments cannot return to self-administration until their dose has stabilised – that is, until their Nplate® dose has not required adjustment for at least 4 weeks	✓
Willing to undergo a period of training • Inform patients that home administration will involve a period of training, and that they will be required to demonstrate their ability to self-administer	✓

Ensure patients return home with...

The right dose written and drawn in their *Self-administration diary*	✓
Their reconstitution pack(s) of Nplate® (Make sure they have not taken the placebo demonstration kit with them by mistake)	✓
All the patient materials in their *Home Administration Training* pack	✓
Contact information for a healthcare professional (to be written on the back of their *Self-administration diary,* in the section titled "Just in case you need support...")	✓
An appointment date to return after the first 4 weeks of self-administration. At this visit they will have their platelet count checked and will again be supervised while reconstituting and administering Nplate®. Only patients who demonstrate the ability to reconstitute and self-administer Nplate® should be allowed to continue doing so	✓

Adverse reactions/events should be reported to the Health Products Regulatory Authority (HPRA) using the available methods via www.hpra.ie.

Adverse events should also be reported to Amgen Limited on +44 (0) 1223 436441.

AMGEN®

UKIE-NPC-531-0415-104636(2)
Date of preparation: March 2020