

VPA22033/078/001

**Ovisect 12.5 mg/ml Pour-On Solution for Sheep**

<b>Variation</b>	<b>Summary</b>	<b>Date</b>
Vet - F.II.b.5 z)	VRA-R - Vet - F.II.b.5 z) - z) Other changes under this code level e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021 - F.II.b.5 z) Quality Changes - Finished Product -Manufacture - Change to in-process tests or limits applied during the manufacture of the finished product - Other changes under this code level, e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021	19/12/23
Vet - B3 k)	VNRA - Vet - B3 k) - k) Deletion of a non-significant in-process test (finished product manufacture) - B3 k) Changes to the quality part of the dossier: Deletion of a non-significant in-process test (e.g. deletion of an obsolete test) during the manufacture of the finished product	13/12/23
Vet - B22	VNRA - Vet - B22 - Change to importer, batch control arrangements and quality testing (replacement or addition of a site) for a finished product - B22 Changes to the quality part of the dossier: Change to importer, batch control arrangements and quality testing (replacement or addition of a site) for a finished product	29/11/22
Vet - B35 a)	VNRA - Vet - B35 a) - a) Tightening of specification limits - B35 a) Changes to the quality part of the dossier: Change in the specification parameters or limits of the immediate packaging of the finished product: — tightening of specification limits	30/03/22