



Norbrook Laboratories Limited

Station Works, Newry, Co. Down
Northern Ireland, BT35 6JP

Tel: +44 (0)28 3026 4435

Fax: +44 (0)28 3026 1721

Email: enquiries@norbrook.co.uk

www.norbrook.com

Batch Recall

Carprieve 50 mg/ml Solution for Injection for Cattle, VPA22664/080/001

Batch no. 9371-90C Expiry SEP 2021

Batch no. 0105-90E Expiry MAR 2022

30th September 2020

Dear Veterinary Surgeon,

We wish to advise you that two batches (9371-90C & 0105-90E) of Carprieve 50 mg/ml Solution for Injection for Cattle, VPA No. 22664/080/001 are being recalled with immediate effect.

This recall is going to veterinary surgeon / retail level.

This action has been agreed with the Health Products Regulatory Authority, Ireland.

The reason for the recall is that during stability monitoring analysis of the above batches of Carprieve 50 mg/ml Solution for Injection for Cattle, a related substance (process impurity) was detected.

Please immediately quarantine any units of these batches which you have in your possession.

Please complete the attached reconciliation form and return to Norbrook by email (gary.mckee@norbrook.co.uk). Norbrook will then arrange courier pickup and fully credit your account for the returned product up to the 16th of October 2020.

If you have supplied units from these batches to any other veterinary surgeon or retailer, please forward a copy of this recall letter to them, requesting that they quarantine and return any unsold quantities of the batch to you.

We apologise for any inconvenience this action may cause. Should you have any queries, please contact Gary Mckee at telephone number +44 (0)28 3026 4435

Yours sincerely,

Dr Brendan O'Dornan, Head of Corporate QA

Tel. Number: +44 (0) 2830264435



Norbrook Laboratories Limited

Station Works, Newry, Co. Down
Northern Ireland, BT35 6JP

Tel: +44 (0)28 3026 4435

Fax: +44 (0)28 3026 1721

Email: enquiries@norbrook.co.uk

www.norbrook.com

Batch Recall

Carprieve 50 mg/ml Solution for Injection for Cattle, VPA22664/080/001

Batch no. 9371-90C Expiry SEP 2021

Batch no. 0105-90E Expiry MAR 2022

30th September 2020

Dear Veterinary Surgeon,

We wish to advise you that two batches (9371-90C & 0105-90E) of Carprieve 50 mg/ml Solution for Injection for Cattle, VPA No. 22664/080/001 are being recalled with immediate effect.

This recall is going to veterinary surgeon / retail level.

This action has been agreed with the Health Products Regulatory Authority, Ireland.

The reason for the recall is that during stability monitoring analysis of the above batches of Carprieve 50 mg/ml Solution for Injection for Cattle, a related substance (process impurity) was detected.

Please immediately quarantine any units of these batches which you have in your possession and return them to your supplier by 16th October 2020.

Please complete the attached reconciliation form and return to Norbrook by email (gary.mckee@norbrook.co.uk).

If you have supplied units from these batches to any other veterinary surgeon or retailer, please forward a copy of this recall letter to them, requesting that they quarantine and return any unsold quantities of the batch to you.

We apologise for any inconvenience this action may cause. Should you have any queries, please contact Gary Mckee at telephone number +44 (0)28 3026 4435

Yours sincerely,

Dr Brendan O'Dornan, Head of Corporate QA.

Tel. Number: +44 (0) 2830264435