



## BATCH RECALL

### Versifel FeLV, suspension for injection for cats, VPA10387/088/001

Batch number	Expiry date
400141	06/10/2021

24<sup>th</sup> February 2021

Dear Veterinarian/Veterinary Surgeon,

We wish to advise you that batch 400141 of Versifel FeLV, suspension for injection for cats, is being recalled with immediate effect.

This recall is going to **veterinarian level**.

This action has been agreed with the Health Products Regulatory Authority (HPRA).

The reason for the recall is that during routine stability monitoring an out of specification potency test result at 12 months for Versifel FeLV, suspension for injection for cats, batch 400141 was identified, in which a slightly lower than expected potency result was recorded. This recall is being taken as a precaution while further investigation is conducted.

Please immediately quarantine any units from this batch which you have in your possession.

Please return quarantined units to the wholesaler who supplied them. Credit will be issued for stock returned within two weeks of receipt of this letter. Please include your wholesaler account number with the returns to assist in tracking the stock.

If you have supplied any units of the affected batch to any other veterinary surgeon, clinic or any other party, please now contact that party, provide them with this letter and request that they return any unused units of the affected batch to you.

Unaffected stock of this product is available to order at this time.

Should you have any questions or concerns regarding this matter, require any guidance on what to do for animals that may have been administered this batch or wish to report a suspected adverse reaction, please contact Zoetis via phone +353 1 2569800 or email [vetsupportireland@zoetis.com](mailto:vetsupportireland@zoetis.com).

We apologise for any inconvenience this matter may cause and would like to thank you for your cooperation.

Yours sincerely,

Agnieszka Markowska PhD

Regulatory Affairs Manager  
Zoetis Belgium S.A (Irish Branch)