

VPA22033/044/001

Tetroxy LA 200 mg/ml Solution for Injection

Variation	Summary	Date
Vet - F.III.1 a) 1.	VRA-R - Vet - F.III.1 a) 1. - a) European Pharmacopoeial Certificate of Suitability to the relevant Ph. Eur. Monograph. 1. New certificate for a non-sterile active substance that is to be used in a sterile medicinal product, where water is used in the last steps of the synthesis and the material is not claimed to be endotoxin free - F.III.1 a) 1. Quality Changes - CEP/TSE/MONOGRAPHS - Submission of a new or updated Ph. Eur. certificate of suitability or deletion of Ph. Eur. certificate of suitability: -For an active substance -For a starting material/reagent/intermediate used in the manufacturing process of the active substance -For an excipient European Pharmacopoeial Certificate of Suitability to the relevant Ph. Eur. Monograph - New certificate for a non-sterile active substance that is to be used in a sterile medicinal product, where water is used in the last steps of the synthesis and the material is not claimed to be endotoxin free	19/10/23
Vet - F.II.b.4 z)	VRA-R - Vet - F.II.b.4 z) - z) Other changes under this code level e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021 - F.II.b.4 z) Quality Changes - Finished Product -Manufacture - Change in the batch size (including batch size ranges) of the finished product - Other changes under this code level, e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021	19/10/23
Vet - F.II.b.3 a)	VRA-R - Vet - F.II.b.3 a) - a) Minor change in the manufacturing process - F.II.b.3 a) Quality Changes - Finished Product -Manufacture - Change in the manufacturing process of the finished product, including an intermediate used in the manufacture of the finished product - Minor change in the manufacturing process	19/10/23
Vet - F.II.b.2 b) z.	VRA-R - Vet - F.II.b.2 b) z. - b) Replacement or addition of a manufacturer responsible for importation and/or batch release z. Other changes under this code level, e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021 - F.II.b.2 b) z. Quality Changes - Finished Product -Manufacture - Change to importer, batch release arrangements and quality control testing of the finished product - Replacement or addition of a manufacturer responsible for importation and/or batch release - Other changes under this code level, e.g. variations outlined in section 6 and 7 of EMA/CMDv/7381/2021	19/10/23
Vet - F.II.b.1 d)	VRA-R - Vet - F.II.b.1 d) - d) Site where any manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for sterile veterinary medicinal products (including those that are aseptically manufactured) excluding biological/ immunological veterinary medicinal	19/10/23

	products - F.II.b.1 d) Quality Changes - Finished Product -Manufacture - Replacement or addition of a manufacturing site for part or all of the manufacturing process of the finished product - Site where any manufacturing operation(s) take place, except batch release, batch control, and secondary packaging, for sterile veterinary medicinal products (including those that are aseptically manufactured) excluding biological/ immunological veterinary medicinal products	
Vet - B12 a)	VNRA - Vet - B12 a) - a) Minor changes to an approved test procedure (active, finished product, packaging, measuring device) - B12 a) Changes to the quality part of the dossier: Minor changes — to an approved test procedure — for active substance; — for the finished product; —for the immediate packaging of the active substance or the finished product; — of a measuring or administration device	19/09/23
Vet - B21	VNRA - Vet - B21 - Replacement or addition of a secondary packaging site of a finished product - B21 Changes to the quality part of the dossier: Replacement or addition of a secondary packaging site of a finished product	19/09/23
Vet - C2	VNRA - Vet - C2 - Change(s) in the Summary of Product Characteristics (SPC), labelling or package leaflet intended to implement the outcome of a Union interest referral procedure according to Article 83 of Regulation (EU) 2019/6 - C2 Changes to the safety, efficacy and pharmacovigilance part of the dossier: Change(s) in the Summary of Product Characteristics (SPC), labelling or package leaflet intended to implement the outcome of a Union interest referral procedure according to Article 83 of Regulation (EU) 2019/6	19/09/23