

# Summary of Product Characteristics

## 1 NAME OF THE VETERINARY MEDICINAL PRODUCT

Duodip 3.1 %w/v Concentrated Teat Dip

## 2 QUALITATIVE AND QUANTITATIVE COMPOSITION

### Active Substance

Ammonium Lauryl Sulphate	3.1	% w/v
--------------------------	-----	-------

### Excipients

Sodium Methyl Parahydroxybenzoic acid	0.3	% w/v
Quinoline yellow	0.02	% w/v

For a full list of excipients see section 6.1.

## 3 PHARMACEUTICAL FORM

Teat dip concentrate.

## 4 CLINICAL PARTICULARS

### 4.1 Target Species

Cattle.

### 4.2 Indications for use, specifying the target species

To reduce the incidence of mastitis in lactating cows and heifers. Also, to maintain the skin condition of the udder.

### 4.3 Contraindications

Do not use in cases of known hypersensitivity to the active ingredient.

### 4.4 Special warnings for each target species

None.

### 4.5 Special precautions for use

#### Special precautions for use in animals:

None.

#### Special precautions to be taken by the person administering the veterinary medicinal product to animals:

Avoid contact with eyes. If splashed into the eye, irrigate with copious amounts of water.

### 4.6 Adverse reactions (frequency and seriousness)

None known.

### 4.7 Use during pregnancy, lactation or lay

Duodip may be used in pregnant and lactating animals.

#### **4.8 Interaction with other medicinal products and other forms of interactions**

None known.

#### **4.9 Amounts to be administered and administration route**

Add 3 parts clean water to 1 part Duodip.

Apply the solution on the teats by dipping cup or modern sprayer.

Animals must be treated immediately after milking.

Change solution and wash dipping cup regularly.

Duodip can also be used as a pre-dipping dip: Wash teats clean with water, dip teats and after 30 seconds dry off with paper towels and proceed with milking.

#### **4.10 Overdose (symptoms, emergency procedures, antidotes), if necessary**

Not applicable.

#### **4.11 Withdrawal period(s)**

Nil.

### **5 PHARMACOLOGICAL or IMMUNOLOGICAL PROPERTIES**

Duodip acts by firstly ensuring a total bactericidal effect on mastitis causing organisms on the skin. It maintains effective control against bacteria during the critical periods of exposure between milkings.

Duodip also possesses enhanced skin conditioning properties, which assist in the maintenance of good skin condition. This in itself ensures a reduction in the number of bacteria capable of surviving on the teats.

### **6 PHARMACEUTICAL PARTICULARS**

#### **6.1 List of excipients**

Glycerol

Urea

Lactic Acid

Whey powder

Povidone K90

Sodium Methyl Parahydroxybenzoic Acid

Sorbic acid

Antifoam PD 30

Quinoline Yellow (E104)

Purified Water

#### **6.2 Major incompatibilities**

None known.

#### **6.3 Shelf-life**

Shelf life of the veterinary medicinal product as packaged for sale: 3 years.

Shelf life of diluted product remaining in the dipping cup should be discarded: 24 hours.

#### **6.4 Special precautions for storage**

Do not store above 25°C.

### **6.5 Nature and composition of immediate packaging**

5 Litre and 25 Litre blue high density polyethylene container with tamper evident lids.

Not all pack sizes may be marketed.

### **6.6 Special precautions for the disposal of unused veterinary medicinal products or waste materials derived from the use of such products**

Unused product should be disposed of in accordance with current practice for pharmaceutical waste under national waste disposal regulations.

## **7 MARKETING AUTHORISATION HOLDER**

Bimeda Animal Health Limited  
2, 3 & 4 Airton Close  
Airton Road  
Tallaght  
Dublin 24  
Ireland

## **8 MARKETING AUTHORISATION NUMBER(S)**

VPA22033/011/001

## **9 DATE OF FIRST AUTHORISATION/RENEWAL OF THE AUTHORISATION**

Date of first authorisation: 26 August 1991

Date of last renewal: 26 August 2006

## **10 DATE OF REVISION OF THE TEXT**

May 2019