

Ireland Teetha Teething Gel Tube 15g v9  
3003890

Use By Date  
Embossed on top of tube

Lot No:  
Embossed on top of tube



**Active Ingredients** Each 1g oral gel contains: Chamomilla 12c.  
**Also contains** Water, Ethanol anhydrous, Xylitol [E967], Hypromellose, Glycerol [E422], Xanthan gum.

**Precautions. Please read the enclosed leaflet before use.**  
Do not give to babies under 3 months old. Contains ethanol, please see leaflet for more information. Keep all medicines out of sight and reach of children. Do not use after expiry date on carton and tube. Do not store above 25°C. Once opened use within 28 days. Date of first opening.

**Directions. For babies aged 3 months and over.**

- Pierce seal with point in top of cap.
- With a clean finger apply a pea sized amount of the gel to the sore area on the baby's gums and teeth.
- Use every 4 hours for up to 6 times a day.

**Do not** exceed the stated dose. If symptoms become worse or do not show improvement after 7 days, consult a doctor or qualified healthcare practitioner. National rules authorisation holder: PBC Biomed  
Unit 4D Western Business Park,  
Shannon, Co. Clare, Ireland  
HOA23352/002/001

3003890

nelsons®

**Teetha®**  
**Chamomilla**  
**Teething Gel**

Chamomilla 12c

**A HOMEOPATHIC  
MEDICINAL PRODUCT**

**A Homeopathic Medicinal Product** used within the homeopathic tradition for the symptomatic relief of teething pain and the symptoms associated with teething, which are sore and tender gums, flushed cheeks and dribbling.

15g oral gel e

- If the medicine shows any signs of deterioration, consult your pharmacist before using it.
- Return any unused medicine to your pharmacist for safe disposal.

## 6. Contents of the pack and other information

### What is this medicine Active Ingredients

Each 1g of oral gel contains: Chamomilla 12c.

**Also contains** Water, Ethanol anhydrous, Xylitol (E967), Hypromellose, Glycerol (E422), Xanthan gum.

**What does the medicine look like**  
Teetha® Chamomilla Teething Gel is a colourless translucent gel available in a 15g tube.

**National rules authorisation holder:**  
PBC Biomed, Unit 4D Western Business Park, Shannon, Co. Clare, Ireland.

**Manufacturer:** Eramol Limited Unit 5 Primeside Business Park, Northwest Business Park, Dublin 15 Ireland HOA23352/002/001

**This leaflet is available on request in formats suitable for the blind and partially sighted, please telephone: +44 (0)20 8780 4200.**

This leaflet was revised: April 2022

3003891

## A Homeopathic Medicinal Product Teetha® Chamomilla Teething Gel Chamomilla 12c

**Please read all of this leaflet carefully before giving this medicine, it contains important information. Please keep this leaflet; you might need to read it again.**

### 1. What is this medicine and what it is used for

Teetha® Chamomilla Teething Gel is a homeopathic medicinal product used within the homeopathic tradition for the symptomatic relief of teething pain and the symptoms associated with teething, which are sore and tender gums, flushed cheeks and dribbling.

### 2. Before giving this medicine

- This medicine may not be suitable for some babies. Ask your doctor or pharmacist before giving it to the baby if you are not sure.
- Do not give this medicine to the baby: If he/she is allergic to Chamomilla preparations or any of the ingredients of this medicine (listed in section 6).
- Unless otherwise directed by your doctor, do not give this medicine to babies under 3 months.
- If the baby is being given any other medicines, including medicines prescribed by your doctor, or any bought without a prescription, talk to your doctor or pharmacist before giving the baby this medicine.

- Warnings and precautions: This medicine contains 21 mg of alcohol (ethanol) in each dose which is equivalent to 3.8 mg ethanol/kg body weight. The amount in one dose of this medicine is equivalent to less than 0.5 ml beer or 0.2 ml wine. The small amount of alcohol in this medicine will not have any noticeable effects.
- The use of this product with other medicinal products containing ethanol should be avoided.

### 3. How to use this medicine

#### Directions

**For babies aged 3 months and over only.**

Check tube seal is not broken before first use. If it is do not use the gel.

- Pierce seal with point in top of cap.
- With a clean finger apply a pea sized amount of the gel to the sore area on the baby's gums and teeth.
- Use every 4 hours for up to 6 times per day.
- **Once opened** use within 28 days.
- **Do not** exceed the stated dose
- **If you are unsure how to use** the gel consult your doctor or pharmacist.
- **If the symptoms worsen or do not show improvement** after 7 days, consult your doctor or qualified healthcare practitioner.
- **If you forget to give this medicine** to the baby, continue with the usual dose at the usual time. It does not matter if you have missed a dose.

- **If you accidentally give the baby too much** gel or if the baby accidentally swallows some gel, consult your doctor or pharmacist as soon as possible.

### 4. Possible side effects

This medicine is not expected to cause any side effects. However, as with all medicines, side effects can occur. If the symptoms become worse or they do not show improvement after 7 days, or if the baby experiences any adverse or unwanted effects, consult a doctor or pharmacist.

#### Reporting of side effects

If the baby gets any side effects, talk to your doctor, pharmacist or nurse. This includes any possible side effects not listed in this leaflet. You can also report any suspected adverse reactions via HPRA Pharmacovigilance  
Website: [www.hpra.ie](http://www.hpra.ie)  
By reporting side effects you can help provide more information on the safety of this medicine.

### 5. Storing this medicine

- Keep all medicines out of the sight and reach of children.
- Do not store above 25°C.
- Do not use after expiry date (Use by) on carton and tube.
- Once opened use within 28 days.